



Unique Quality · Unique Value · Unipoint

Rotating Electrical
NEW PRODUCT HIGHLIGHTS

2012 APR. / NEWS.122

A decorative graphic consisting of several overlapping, curved, light-colored bands that sweep across the bottom half of the page, creating a sense of motion and depth.



Unique Quality · Unique Value · Unipoint

Dear Valued Customers,

Please find attached Unipoint "New Product Highlights" for April 2012, featuring our newest additions for Rotating Electrical Line.

We would like to introduce to you our new units as ALT-2113 & STR-6007.

■ **Replacement for Bosch Type**

ALT-2113: 24V, 100A. Used in MAN FE, LE, NG, NL, NM, NU SG, SL, TG TGA, UL & LION'S CITY trucks & buses.

■ **Replacement for Hitachi Type**

STR-6007: 12V, 2.0kW. Used in Thermo King Trailer Units w/Yanmar engines.

You can find the detailed spec, cross reference numbers & applications from our Unipoint News #122. Also, all the data have been updated to our website catalog:www.unipoint.com.tw

**All these products are now ready for production & can be included in your new order.
Thank you for your business & support!**


**Best Regards,
Unipoint Customer Service**

ALTERNATOR

ALT-2113



ALT-2113		FASS
Description: 24V, 100A, CW		8090211 1421
This alternator has an internal voltage regulator.		
Flux Code	801	W
Dimensions / Application:	W38	
Test Results Table:		
Maximum Alternator Output:	Amperes	117.9
Maximum Output Power:	Watts	2480
Voltage Set Point:	Volts	28.88
Voltage Set Point (Red):	Volts	28.48
Leakage Current:	mAmps	2.81
Leakage Current (Red):	mAmps	2.91
Ripple Current:	Amps	28.0
Alternator Turn On Speed:	RPM	1300
Fast back to computer (IG 2500RPM):	Volts	0.17
Regulator activation voltage:	Volts	0.17
Exciter Frequency:	HZ	243
Stator Inductance:	Volts	14.0
Soft Start Delay:	Sec.	0.0
LDC Delay:	Sec.	3.8
Lamp Drive:	Active	
Lamp Type:	Standard	
Output Current Table:		
Output Current at 1800 RPM:	Amperes	88
Output Current at 1900 RPM:	Amperes	97
Output Current at 2000 RPM:	Amperes	105
Output Current at 2100 RPM:	Amperes	109
Output Current at 2200 RPM:	Amperes	110
Output Current at 2300 RPM:	Amperes	110
Output Current at 2400 RPM:	Amperes	110
Output Current at 2500 RPM:	Amperes	110



Amperage	100A
Pulley Groove	w/o pulley
Rotation	CW
Voltage	24V

CROSS REFERENCE


BOSCH No.'S	LESTER No.'S
0-123-525-501	23513
0-986-042-590	PIC No.'S
MAN No.'S	220-5318
51-26101-7232	
51-26101-7234	
51-26101-7242	
51-26101-7247	
51-26101-7265	
VALEO No.'S	
2572833	

TO FIT

MAN	18.260 HOCL-NL	12.0L	2001	2006
MAN	FE 19.310F	12.0L	2002	2003
MAN	LE 10.180FA	4.6L	2002	2006
MAN	LION'S CITY	6.9L	2004	2006
MAN	NG 263F	12.0L	2001	2006
MAN	NL 363F	12.0L	2001	2006
MAN	NM 223F	6.9L	2000	2006
MAN	NU 313	12.0L	2002	2006
MAN	SG 263F	12.0L	2004	2006
MAN	SL 283F	6.9L	2004	2006
MAN	TG 410AD	12.0L	1999	2002
MAN	TGA 18.480F	12.8L	2003	2006
MAN	UL 363	12.0L	2001	2006

STARTER

STR-6007



Power	2.0KW
Rotation	CW
Teeth	9T
Voltage	12V

CROSS REFERENCE

HITACHI No.'S	LESTER No.'S
S13-407	18490
S13-407A	PIC No.'S
THERMO KING No.'S	104-274E
45-2177	104-390A
45-2324	
845-2177	
845-2324	
YANMAR No.'S	
129685-77011	

TO FIT

CARRIER TRANSICOLD	2.2 DI		
THERMO KING	486 TIER		
THERMO KING	SB-200	486(TK 4.86) Dsl.	1999
THERMO KING	SB-310	486(TK 4.86) Dsl.	1999
THERMO KING	SB-II SR	486(TK 4.86) Dsl.	1998
THERMO KING	SL100	482(TK 4.82)	1996
THERMO KING	SL200	482(TK 4.82)	1996
THERMO KING	SL300	486(TK 4.86)	1996
THERMO KING	SL400	486(TK 4.86)	1996
THERMO KING	SL400 SR2	486(TK 4.86) Dsl.	2002
THERMO KING	SPECTRUM SL	486(TK 4.86) Dsl.	2001
THERMO KING	VARIOUS MODEL	482(TK 4.82) Dsl.	1996
YANMAR			

ARMATURE

PART NO. AM-6007



Cum. OD	36.5mm
No. of Splines	11T
Note	WITH BEARING
OD	52.7mm
Overall Length	174mm
Voltage	12V

BRUSH HOLDER

PART NO. SH-6010



O.E.M. NO.
 HITACHI No.'S
 2130-13022
 2130-53021
 2240-1310
 ISUZU No.'S
 8-94136-901-0
 8-94424-388-0
 8-94478-863-0
 NISSAN No.'S
 23378-10G00
 23378-54A00

Voltage	12V
---------	-----

STARTER DRIVE

PART NO. SD-4013



O.E.M. NO.
 HITACHI No.'S
 2114-15507
 2114-45014
 2114-85501
 2130-1502
 2130-65001
 NISSAN No.'S
 23312-10G00
 23312-11M00
 23312-W1700
 23354-V0700

No. of Splines	10SPL
Overall Length	87mm
Pinion OD	36.2mm
Rotation	CW
Teeth	9T

CORRECTION

Alternators & Starters & Components Catalogue 2010/11

WRONG PICTURES

The pictures listed below at left hand side are not correct, which are printed in our catalogue # CAT-ELE-2010/11 & CAT-ELEC-2010/11, the corrected one are as **the ones in the right hand side**. Please correct it from the catalogues you have in hand.

ALT-1415



Wrong One



Correct One

SD-4163



Wrong One



Correct One